

SHANGHAI UNIFLOOR NEW MATERIAL CO.,LTD.

Catalogue 2022 season





















UNIFLOOR























WPC Traditional Decking



















Traditional WPC Decking (Hot Selling)

No	Item No.	product type	picture	section view	dimention(mm)			surface features	weight (kg/m)
					length	width	thickness		
1	UFD007	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	135	25	with anti slip grooves	2.47
2	UFD024	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	135	25	with anti slip grooves & wood wrain	2.60
3	UFD005	Six-round-hole Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	140	25	with anti slip grooves & wood wrain	3.10
4	UFD023	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	140	25	with anti slip grooves & wood wrain	2.53
5	UFD025	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	140	25.6	with anti slip grooves	2.41
6	UFD028	Eight-round-hole Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	145	20	with anti slip grooves	2.80
7	UFD014	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	146	23.5	with anti slip grooves	2.68
8	UFD042	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	146	21	with anti slip grooves	2.44
9	UFD044	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	146	23.3	with anti slip grooves & wood wrain	2.60











Traditional WPC Decking (Hot Selling)

No	Item No.	product type	picture	section view	dimention(mm)			surface features	weight (kg/m)
					length	width	thickness		
10	UFD002	Hollow Decking			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	146	24	with anti slip grooves & wood wrain	2.70
11	UFD021	Hollow Decking			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	21	with anti slip grooves	2.40
12	UFD022	Hollow Decking			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	21	with anti slip grooves & wood wrain	2.53
13	UFD003	Hollow Decking			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves	2.80
14	UFD006	Hollow Decking			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves & wood wrain	2.93
15	UFD010	Hollow Decking			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves	2.90
16	UFD015	Hollow Decking			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves & wood wrain	2.73
17	UFD018	Hollow Decking			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves	2.60
18	UFD020	Six-round-hole Decking			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves	3.08

Traditional WPC Decking (Hot Selling)

No	Item No.	product type	picture	section view	dimention(mm)			surface features	weight (kg/m)
					length	width	thickness		
19	UFD033	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves	2.80
20	UFD037	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves & wood wrain	2.84
21	UFD046	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves	2.91
22	UFD051	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves & wood wrain	3.00
23	UFD052	Hollow Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves & wood wrain	2.94
24	UFD016	Solid Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	140	20	with anti slip grooves & wood wrain	3.47
25	UFD041	Solid Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	140	20	with anti slip grooves & wood wrain	3.66
26	UFD001	Solid Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	140	25	with anti slip grooves & wood wrain	4.3
27	UFD012	Solid Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	140	30	with anti slip grooves & wood wrain	5.24

Traditional WPC Decking (Hot Selling)

No	Item No.	product type	picture	section view	dimention(mm)			surface features	weight (kg/m)	m/sqm
					length	width	thickness			
28	UFD013	Solid Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	140	38.5	with anti slip grooves	6.81	7.14
29	UFD008	Solid Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	12	wood-grain/brushed /sanded	2.32	6.67
30	UFD017	Solid Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves & wood wrain	4.80	6.67
31	UFD029	Solid Decking			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	20	with anti slip grooves & wood wrain	3.76	6.67
32	UFD032	Solid stair board			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	with anti slip grooves & wood wrain	4.73	6.67

Color Options:




Wood Grain Patterns:



Deep Embossing WPC Decking (Hot Selling)

Suitable for hollow decking, solid decking



146*24mm WPC Hollow decking



150*25mm WPC Hollow decking



Better Natural Wood Look

Surface Pattern Selection



UF-S001
Ashtree



UF-S002
Oak




UF-S003
Dotted
ashtree



UF-S004
Driftwood



UF-S005
Deep Bark
grain



UF-S006
Big line







UF-S007
Creativity
grain




UF-S008
Old wood
grain



WPC Co-extrusion Decking (1st Generation)







No	Item No.	product type	picture	section view	dimention(mm)			surface features	weight (kg/m)
					length	width	thickness		
1	UFD030	Co-extrusion Decking (seven-round-holes)			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	145	21	Co-extrusion	2.63
2	UFD034	Co-extrusion Decking (six-round-holes)			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	Co-extrusion	2.96



Longer Lifetime than
traditional WPC material
Stain Resistance
Ultra Low Maintenance




WPC Co-extrusion Decking (2nd Generation)

No	Item No.	product type	picture	section view	dimention(mm)			surface features	weight (kg/m)
					length	width	thickness		
1	UFD035	Thermoplastie Elastomer decking (TPE)			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	25	Elastomer	3.09
2	UFD039	Thermoplastie Elastomer decking (TPE)			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	150	23	Elastomer	2.86
3	UFD043	Elastomer Decking			Standard Length: 2.2/2.8/2.9/3 /3.66/4/5.4m or customized	137	22	Elastomer	3.55






















Features:

1. Anti-slip
2. Soft touching
3. Scratch Resistance
4. Comfortable Texture
5. Indentation Resistance
6. 360 degree modified elastomer




Accessory for WPC Decking

1	Joist-40H30 Hollow design	40x30mm		
2	Joist-40H25 Solid design	40x25mm		
3	Joist-40H30 Solid design	40x30mm		
4	Joist-50H30 Solid design	50x30mm		
5	L-angle trim	50x40mm		
6	Starter clips & screw as one set	with M4*30 cross "+" screw		
7	Spacer clips & screw as one set	Can select one of clip		
8	Plastic spacer clip & screw as one set			
9	Expansion screw M6*60MM	To reinforce the decking and joist		
10	Plastic Pedestal for wpc joist	To support wpc joist		




DIY WPC Decking Tiles, Have fun for DIY



Interlocking pad, good for small space such as balcony

11pcs/ctn, around 10000pcs in 20'GP container








Decking Tile size: 300*300*22mm




WPC Fence Series—Singnal Fence 180×180cm



No.	product	picture	specification	color
1	Singal fence		including 14pcs of WPC panel& 3pcs of aluminium bar, not incl.aluminium post	optional panel color, aluminium bar color only can be in black or aluminium nature color
2	Basic fence-old profile 143*13		including WPC panel& aluminium bar, without aluminium post	optional panel color, aluminium bar color only can be in black or aluminium nature color
3	Basic fence-old profile 143*11		including WPC panel& aluminium bar, without aluminium post	optional panel color, aluminium bar color only can be in black or aluminium nature color
4	Basic Fence		including WPC panel& 4pcs of aluminium bar, not incl.aluminium post	optional panel color, aluminium bar color only can be in black or aluminium nature color



Basic Panel Model No.UFW001
Size:143×13mm



Basic Panel Model No.UFW016
Size:115×10mm




Flat Aluminum







Plastic Post Cap

WPC Fence Series—DIY Fence 180×180cm


Hot selling



No	Item No.	product type	picture	section view	dimention(mm)			surface features
					length	width	thickness	
1	UFW013	Wall Panel			Standard Length:1.8m or customized	210	21	Sanded / steel brush / embossing
2	UFW020	Co-extrusion Wall Panel			Standard Length:1.8m or customized	210	21	Co-extrusion



Panel Model No.UFW013
Size:210×21mm



Aluminum Post
Size:68x68mm




WPC Post Model No.UFQ009
Size:90×90mm

Colors for wpc
fence can be
optional.

WPC Fence Series—DIY Fence 180×180cm

INSTALLATION



Accessories for WPC with Alu. Post

No.	Item	Picture	Size(mm)
1	WPC fence board		210x21x1836, 9pcs, sanded surface
2	Alu. Post		68x68, 2700mm length
3	Plastic post Cap		68x68x50
4	Alu. U-Groove		20x12mm, standard length 1800mm
5	Alu.Strip		18x22mm, standard length 2700mm
6	Alu.Cover		12x7, 2700mm length

Color Options:



WPC Wall Panel Series——In actual use




TECHNICAL INFORMATION

Specification	Distance(mm)	Comment
Minium ground clearance	100	
Minium clearance over concrete	50	
Joist centres(min & max distance)	300 to 600	In high wind areas,joist spacing should be 300mm
Joist Size	50x30	
Screw Distance from cladding board edges	Min 15,max 25	
Joist Fastening Screws	4 to 5mm x 40 to 60mm pending joist size	It must use drill to fix the screw.
Cladding Fastening Screws	3.5x30 stainless steel	


Wall Cladding Installation Guide

① Installing the supports




Joist should be 50mm wide x 30mm high and should be fully supported once installed.

Remember to install your joist at a 90 degree angle to the way that you want your wall cladding boards to run.



Screws should be 5-6mm diameter and at least 80mm long.



② Fitting the boards




Attach a starter strip to the bottom of each joist, this will give the first cladding board something to sit on.


Secure the boards using a screw at least 20mm in length, ensuring that the board is fastened securely on each joist that it touches.




③ Finishing the edging



There are a range of trims available in all colours to compliment your cladding boards and these can be secured to your installation by screwing through the trim into the joist below every 300mm. Do not screw through wall cladding boards.



Your installation is now complete.



Continuing to fit the cladding boards in this manner until you have completely covered the area you want.

WPC Wall Panel Series——All available models

Specification Sheet

No	Item No.	product type	picture	section view	dimention(mm)			surface features	weight (kg/m)
					length	width	thickness		
1	UFW002	Wall Panel			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	156	21	Sanded / steel brush / embossing	1.90
2	UFW015	Wall Fence Panel (with socket)			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	225	17	Sanded / steel brush / embossing	2.53
3	UFW018	Co-extrusion Wall Panel			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	156	21	Sanded / steel brush / embossing	1.78
4	UFW019	Wall Panel			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	212	19	Sanded / steel brush / embossing	2.23
5	UFW020	Wall Panel			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	219	26	Sanded / steel brush / embossing	3.15
6	UFW022	Co-extrusion Wall Panel			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	219	26	Sanded / steel brush / embossing	2.63
7	UFW023	Co-extrusion Wall Panel			Standard Length:2.2/2.8/2.9/3 /3.66/4/5.4m or customized	222	26	Sanded / steel brush / embossing	2.63

WPC Railing & Baluster



Big Baluster
Model No.UFQ003
Size:121×121mm



Small Baluster
Model No.UFQ002
Size:51×51mm



Handrail
Model No.UFQ001
Size:90×50mm



WPC Post Cap



WPC Post Support